## **RECOMMENDED USES**



Industry













Air Mesh - High-breathable and resistant inner lining



A wide fit for

greater comfort

Punto Flex - Special technical solution that allows the foot to bend correctly

Non-slip grooves for ladders



**ESD** - Electrostatic Discharge Electrical resistance to contain static energy and protect you from the risk of shocks (some products)



Stabilizer - Stabilizer arch inside the sole for correct foot movement

Deep self-cleaning grooves



**HSA** - Maximum heel shock-absorption

# HIT 400 ESD 211870 5AK

Double-density PU sole with maximum abrasion resistance

and softer midsole for added

comfort

STANDARD 36/48 COLOURS WEIGHT 505 gr All Black Silver Metal Asphalt ELECTRIC CATEGORY FIT

11

Upper:

COMPONENTS

Breathable mesh fabric.

improved toe comfort. 200 Joule impact protection.

ALcap - Lightweight,

impact-resistant

aluminium toe cap

**Upper lining:** Toe-cap:

**Anti-intrusion insole:** 

Tread:

Midsole:

Made of anti-perforation, absorbent, abrasion- and flakingresistant fabric.

toe with high resistance to scratches and tearing.

Made of antistatic bidensity polyurethane, directly injected onto the upper with electrostatic charge dissipation capacity.

Water- and tear-resistant Nubuk leather + technical microfibre

Aluminium toe-cap with large internal space for

High density, non-slip (SRC), abrasion- and hydrocarbonresistant.

Compression protection 1,500 kg.

Low-density, comfortable and shockproof.

## MODEL DESCRIPTION:

Mid shoe with anti-perforation fabric. High-quality, water- and tear-resistant Nubuk leather upper. Breathable mesh lining. Antistatic shoe with non-slip and anti-shock sole.

## RECOMMENDED USES:

Industry, building, handicraft, logistics.

#### USE AND MAINTENANCE:

Make sure the shoes are in good condition before each use. Take care to regularly clean them. Do not use aggressive products such as petrol, acids and solvents

that could affect their quality, safety and durability.