


Air Mesh - High-breathable and resistant inner lining

Metalfree - Completely free of metal

parts for maximum comfort and great



Industry Logistics



freedom of movement Non-slip grooves for ladders Upper with quality materials for greater wear resistance 1222 HSA - Maximum heel shock-absorption Double-density PU sole with maximum abrasion resistance and softer midsole for added comfort FLYcap - Toecap of composite material

RACE 200 MID L59833 OXH

STANDARD	SIZE
S3 SRC	38/48
COLOURS	WEIGHT
Asphalt	590 gr
🥚 Green Acacia	
ELECTRIC CATEGORY	FIT
Antistatic	10,5

	COMPONENTS.	

that is compression-resistant up to 200J

Upper:

Toe-cap:

Sole:

Tread:

Water-resistant Action Nubuck leather.

Breathable mesh fabric. **Upper lining:**

- Multilayer composite metal-free toecap.
- 200 joule impact protection. •
- Compression protection 1,500 kg. •

Made of anti-perforation, absorbent, abrasion- and flaking-Anti-intrusion insole: resistant fabric.

> Made of antistatic bidensity polyurethane, directly injected onto the upper with electrostatic charge dissipation capacity.

High density, non-slip (SRC), abrasion- and hydrocarbonresistant.

Midsole: Low-density, comfortable and shockproof.


Breathable mesh lining.

USE AND MAINTENANCE:

Make sure the shoes are in good condition before each use. Take care to regularly clean them. Do not use aggressive products such as petrol, acids and solvents that could affect their quality, safety and durability.







MODEL DESCRIPTION:

Mid shoe with anti-perforation fabric. Water-resistant Nubuck upper. Antistatic shoe with non-slip and anti-shock sole.

RECOMMENDED USES:

Industry, logistics, handicraft, building, agriculture.